






HURFORD'S








SUPACORE
WATERPROOF HYBRID FLOORING
BY HURFORD'S

Inspired by the beauty of natural timber, Hurford's latest collection Supacore has been precisely created by a team of interior experts.

Each design has been thoughtfully developed to appeal exclusively to the Australian market, with beautiful grain structures, warmth of colour and attention to detail.

Profile	Feature	Benefit
	Micro Bevel Edges	Micro bevel edges create a small V-shape between each board for an authentic look.
	Core	Limestone composite core board with up to 75% limestone powder. Resulting in a stable core that has minimal expansion and contraction.
	6.5mm Thickness	Each product is 6.5mm thick, providing extra soft and warm 6.5mm cushioning underfoot. 5mm plank + 1.5mm IXPE backing = 6.5mm overall.

Finish	Feature	Benefit
	Matte Finish	Boards with a matte finish reflect the natural look and feel of timber.
	Woodgrain	Boards have an authentic timber woodgrain look.
	Wear Layer	A 0.55mm wear layer protects the surface of your vinyl plank flooring from everyday wear and tear.
	Waterproof	Continue the timber look through your living zones and wet areas including bathrooms and laundries. Supacore can be wet mopped.



BLACKBUTT



CARBON




CHESTNUT



FRENCH GREY



HARBOR GREY



KHAKI



SANDSTONE



SPOTTED GUM

FLOORCARE

We want your Supacore flooring to look its best for years to come, so here are some guidelines to help you achieve that:

Day to Day

- Sweep or vacuum to remove loose dirt, grit or dust
- Use clean mops and natural cleaning solutions to regularly clean your floor
- Dilute the floor cleanser to manufacturers instructions
- Mop the floor evenly
- Collect excess liquid in a mop bucket
- Rinse the floor with clean water and allow to dry

Please do:

- Install mats at entrances to collect grit and moisture
- Fit furniture with protective pads to prevent scratches
- Remove spillages as quickly as possible to reduce risk
- Regularly trim pets claws

ACCESSORIES


Scotia – Matching scotia available per piece
Size: 2400mm x 14mm x 28mm



Please do not:

- Use abrasive liquids or metal scouring pads
- Clean the floor with solvents, washing up liquids, soap powders, bleach, furniture polish, petrol-based products, pine gels, stain removers
- Drag furniture with unprotected bottoms across the floor

Stair Nosings – Matching stair nosings available per piece
Size: 2400mm x 110mm x 30mm





SUPACORE
WATERPROOF HYBRID FLOORING
BY HURFORD'S

COMMERCIAL SPECIFICATIONS

Technical Data

Type:	Hybrid
Thickness:	5mm + backing (6.5mm overall)
Wear layer:	0.55mm
Dimensions:	1500 (L) x 180mm (W)
Planks per box:	6
M ² per box:	1.62m ²
M ² per pallet:	89.10m ²
Colours:	8
Install Method:	Drop Lock
Finish:	Matte
Surface:	Aus = embossed, oaks = EIR
Top layer:	Decorative film & wear layer
Substrate layer:	Limestone composite
Backing layer:	1.5mm IXPE
Profile:	Micro bevel
Protective coating:	UV coating

Performance

Dimensional stability:	≤ 0.04mm
Abrasion rating:	Group T
Residual indentation:	≤ 0.03mm
Impact sound reduction:	IIC = 54
Light fastness:	≥ 6
Fire classification:	Available on Request
Slip resistance:	Available on Request
Residential warranty:	25 Years*
Light commercial warranty:	10 Years*



HURFORD'S